



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/594,761	01/16/2007	Michitsugu Mori	297022US2PCT	5301

22850 7590 03/04/2010
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

MARIAM, DANIEL G

ART UNIT	PAPER NUMBER
----------	--------------

2624

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

03/04/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/594,761	Applicant(s) MORI ET AL.	
	Examiner DANIEL G. MARIAM	Art Unit 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 9-15 is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>9/29/06, 12/29/06, 4/6/07 & 7/28/08</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Specification

1. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
 - (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
 - (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
 - (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
 - (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
 - (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
 - (g) BRIEF SUMMARY OF THE INVENTION.
 - (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
 - (i) DETAILED DESCRIPTION OF THE INVENTION.
 - (j) CLAIM OR CLAIMS (commencing on a separate sheet).
 - (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
 - (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).
2. The abstract of the disclosure is objected to because it contains two paragraphs.
Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 1 attempts to define a product (i.e., machine or apparatus) entirely by virtue of its function, in the absence of any recited structure. Products must distinguish over the prior art in terms of their structure (or structure + structure's function when claimed functionally) rather than function alone (MPEP 2114). Therefore, an "apparatus" not having structural limitations fails to "particularly point out and distinctly claim the subject matter which applicant regards as the invention" in accordance with 35 U.S.C. 112, 2nd paragraph. A recitation of the intended use, i.e., capable of, of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art.

A similar limitation, i.e., capable of, also occurs in claims 6-8, and thus argument similar to that presented above for claim 1 is equally applicable to these claims. Since claims 2-5 directly or indirectly depend on claim 1 they are also rejected under 35 U.S.C. 112, second paragraph, for the same reason set forth above for claim 1.

Allowable Subject Matter

4. Claims 9-15 are allowed.
5. The following is an examiner's statement of reasons for allowance: none of the prior art of record teach or fairly suggest performing fluid measurement by taking images

Art Unit: 2624

of particles contained in a fluid to be measured a long distance away at small time intervals by an imaging means comprising a long focus optical system, comparing luminance pattern distributions of particle images at a plurality of consecutive time points obtained by the imaging means to measure a moving direction and a moving amount of a particle group; and analyzing a flow field of the fluid to be measured from the moving direction and the moving amount of the particle group, extracting a turbulence structure of the fluid to be measured and measuring the moving direction and the moving amount of the extracted turbulence structure to analyze the flow field of the fluid to be measured, when the number of particles contained in one pixel of the particle image obtained by the imaging means is plural. It is for this reason that claims 9-15 are allowable over the prior art of record.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patent Numbers: 4842384, 4934801, 5561515 and 6473243.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DANIEL G. MARIAM whose telephone number is 571-272-7394. The examiner can normally be reached on M-F (7:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, VIKKRAM BALI can be reached on 571-272-7415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2624

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DANIEL G MARIAM/

Primary Examiner, Art Unit 2624